

**Form – IV**  
**(See rule 13)**  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)	:	Dr. Baradakanta Misra DMO cum Medical Superintendent
	(ii) Name of HCF or CBMWTF	:	District Headquarter Hospital, Rayagada
	(iii) Address for Correspondence	:	PO/Dist. - Rayagada, Pin- 765001
	(iv) Address of Facility	:	Near Old Bus Stand, R K Nagar
	(v) Tel. No, Fax. No	:	9437096952
	(vi) E-mail ID	:	hdtrayagada@gmail.com
	(vii) URL of Website	:	
	(viii) GPS coordinates of HCF or CBMWTF	:	No
	(ix) Ownership of HCF or CBMWTF	:	State Government
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No.: 3888 Valid up to: 31.03.2023
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 31.03.2025
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 176
	(ii) Non-bedded hospital	:	Not applicable
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	Not applicable
3	Details of CBMWTF	:	Not Linked with CBMWTF
	(i) Number of health care facilities covered by CBMWTF	:	
	(ii) No. of Beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	_____ Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	_____ Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 6652 Kg. 805 gm Red Category: 8973 Kg. 647 gm White: 79 Kg. 094 gm Blue Category: 5603 Kg. 984 gm General Solid Waste:
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility	:	
	(i) Details of the on-site storage	:	Size: 900 sq.ft

	facility	Capacity:		
		Provision of on-site storage : (Cold storage or any other provision) Yes		
	(ii) Disposal facilities			
		<b>Type of treatment equipment</b>	<b>No of Units</b>	<b>Capacity Kg/day</b>
		Incinerators		
		Plasma Pyrolysis		
		Autoclaves	1no.	13 kg/day
		Microwave		
		Hydroplane		
		Shredder	1no.	25 kg/day
		Needle tip cutter or destroyer	15nos.	
		Sharps	1no.	210 gm/day
		Encapsulation or concrete pit		
		Deep burial pits	1no.	6 kg/day
		Chemical disinfection:		
		Any other treatment equipment:		
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.): 4895 kg.	
	(iv) No. of Vehicles used for collection and transportation of biomedical waste	:	2 nos.	
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		<b>Quantity Generated</b>	<b>Where disposed</b>
		Incineration		
		Ash		
		ETP Sludge		
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of		Not Available	
	(vii) List of member HCF not handed over bio-medical waste.		NIL	
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		YES	

7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management		4 nos.
	(ii) Number of personnel trained		175 nos.
	(iii) Number of personnel trained at the time of induction		Nil
	(iv) Number of personnel not undergone any training so far		Nil
	(v) Whether standard manual for training is available?		Yes
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		3 nos.
	(ii) Number of persons affected		3 nos.
	(iii) Remedial Action taken (Please attach details if any)		Yes
	(iv) Any Fatality occurred, details		No
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		Not Applicable
	Details of Continuous online emission monitoring systems installed		NO
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		Low Cost Liquid Waste Management is available at Labour Room, Operation Theater, Dressing Room, Blood Bank, Laboratory.
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		Meet all times
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator) : NO

Certified that the above report is for the period from

.....January 2022 to December 2022 .....

  
07.03.23

Name and Signature of the Head of the Institution

*District Medical Officer  
(Medical Services) -Cum- Superintendent  
D.H.H., Rayagada (Odisha)*

Date: 07.03.2023

Place: Rayagada